



Sahara Noir 24"x48" R

Slabs

Inspired by the finest marbles around the world, our Slabs collection allows you to accomplish the look and feel of marble without the price tag. Create stunning, awe-inspiring floors, or get creative and use for accent walls or even countertops, the possibilities are endless.



Calacata Gold 24"x48" R

Glazed & Polished Porcelain

24"x48" R - 35"x35" R - 48"x48" R



Concrete Unpolished 48"x48" R



Slabs Calacata Light Unpolished 48"x48" R



Slabs Lassa Unpolished 48"x48" R



Slabs Agata Polished 24"x48" R

Slabs

Glazed & Polished Porcelain



48"x98" R
120x250 cm

48"x48" R
120x120 cm

24"x48" R
60x120 cm

Calacata Gold



24"x48" R UP
F070154GO1



24"x48" R PO
F070254GO1



Marble Parana



48"x98" R PO
FOJ02HS011



48"x48" R PO
FOJ01E8011

Calacata Light



48"x48" R UP
FOI02EU011



48"x48" R PO
FOI01EU011



24"x48" R UP
FOI04E8011




24"x48" R PO
FOI03E8011




Marble Parana 48"x48" R PO

Slabs

Glazed & Polished Porcelain



48"x48" R 120x120 cm **24"x48" R** 60x120 cm




Marble Nouveau




48"x48" R PO
F3701E8151



Sahara Noir



48"x48" R UP
F3902EU161



48"x48" R PO
F3901EU161



24"x48" R UP
F3904E8161



24"x48" R PO
F3903E8161



Marble Nouveau 48"x48" R PO




Sahara Noir 24"x48" R

Slabs

Glazed & Polished Porcelain



48"x48" R 120x120 cm **24"x48" R** 60x120 cm



Concrete Gray



48"x48" R Unpolished
FOK02EU021



24"x48" R Unpolished
FOK11E8021



Concrete Gray



48"x48" R ABS
FOK03E8021




Concrete Gray



48"x48" R Polished
FOK01EU021



24"x48" R Polished
FOK10E8021



Concrete Unpolished 48"x48" R

Slabs

Glazed & Polished Porcelain



48"x48" R 120x120 cm **24"x48" R** 60x120 cm **35"x35" R** 90x90 cm

Koronis



48"x48" R UP
FZO02E8011



48"x48" R PO
FZO01E8011



24"x48" R UP
FZO0254011



24"x48" R PO
FZO0154011



Carrara



48"x48" R UP
FJJ03E8011



48"x48" R PO
FJJ02EU011



24"x48" R UP
FJJ0454011



24"x48" R PO
FJJ035U011



35"x35" R UP
FJJ019B011



35"x35" R PO
FJJ029B011

Marble Lassa



48"x48" R UP
FL604EU011



48"x48" R PO
FL603E8011



24"x48" R UP
FL6025U011



24"x48" R PO
FL6015U011




Agata



24"x48" R PO
FZN015U041

Slabs

Glazed & Polished Porcelain




48"x98" R
120x250 cm


48"x48" R
120x120 cm



Athea



48"x48" R PO
FRV01E8041




Athos



48"x98" R PO
FFC02HS011



48"x48" R PO
FFC01E8011



Slabs

Glazed & Polished Porcelain




40"x80" R
100x200 cm



Allure




40"x80" R PO
FIC02ZF041



Fossil



40"x80" R PO
FBS02ZF041



Slabs

Glazed & Polished Porcelain



48"x98" R
120x250 cm

40"x80" R
100x200 cm



Nero Caressi



40"x98" R PO
FX02HS161



Pulpis Intenso




40"x80" R PO
FOH02ZF021



Slabs

Glazed & Polished Porcelain




48"x98" R 120x250 cm
40"x80" R 100x200 cm




Statuario



40"x80" R PO
FPK02ZF011



Topazio



48"x98" R PO
FG601HS211



Slabs

Glazed & Polished Porcelain



40"x80" R
100x200 cm

Iron



40"x80" R PO
FPG01ZF101



40"x80" R UP
FPK02ZF011



Technical Specifications

CHARACTERISTICS		Water Absorption	Break Strength	Scratch Hardness	Chemical Resistance	Frost Resistance	Group	Deep Abrasion Unglazed Tiles	PEI Glazed Tiles	Minimum Bond Strength (PSI)	Dynamic Coefficient of Friction (DCOF)	Shade and Texture Rating	Facial Dimensions	Range of Thickness	Warpage	Wedging
STANDARD		C373	C648	MOH's Scale	C650	C1026	See FAQ's	C1243	C1027	C482	A137.1	CTDA "V"	C499	C499	C485	C502
D E C L A R E D A S T M	AGATA	<=0.5%	Min. 350	4	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	ALLURE	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	ATHEA	<=0.5%	Min. 425	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	ATHOS	<=0.5%	Min. 425	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CALACATA GOLD PO	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CALACATA GOLD UP	<=0.5%	Min. 335	5	Unaffected	Resistant	4	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CALACATA LIGHT PO	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CALACATA LIGHT UP	<=0.5%	Min. 335	5	Unaffected	Resistant	4	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CARRARA PO	<=0.5%	Min. 250	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CARRARA UP	<=0.5%	Min. 250	5	Unaffected	Resistant	4	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CONCRETE ABS	<=0.5%	Min. 337	7	Unaffected	Resistant	4	Pass	4	-	>=0.42	V3	Pass	Pass	Pass	Pass
	CONCRETE PO	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	CONCRETE UP	<=0.5%	Min. 335	5	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	FOSSIL	<=0.5%	Min. 425	3	Unaffected	Resistant	3	-	3	165	<0.40	V4	Pass	Pass	Pass	Pass
	IRON PO	<=0.5%	Min. 425	3	Unaffected	Resistant	3	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass
	IRON UP	<=0.5%	Min. 425	5	Unaffected	Resistant	4	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass
	KORONIS PO	<=0.5%	Min. 250	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	KORONIS UP	<=0.5%	Min. 250	5	Unaffected	Resistant	4	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	MARBLE LASSA PO	<=0.5%	Min. 250	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
	MARBLE LASSA UP	<=0.5%	Min. 250	5	Unaffected	Resistant	4	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass
MARBLE NOUVEAU	<=0.5%	Min. 335	4	Unaffected	Resistant	3	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass	
MARBLE PARANA	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass	
MARBLE SORRENTO	<=0.5%	Min. 250	4	Unaffected	Resistant	3	-	-	165	<0.40	V3	Pass	Pass	Pass	Pass	
NERO CARESSI	<=0.5%	Min. 425	3	Unaffected	Resistant	3	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass	
PULPIS INTENSO	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass	
SAHARA NOIR PO	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass	
SAHARA NOIR UP	<=0.5%	Min. 335	5	Unaffected	Resistant	4	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass	
STATUARIO	<=0.5%	Min. 335	3	Unaffected	Resistant	3	-	4	165	<0.40	V3	Pass	Pass	Pass	Pass	
TOPAZIO	<=0.5%	Min. 425	3	Unaffected	Resistant	3	-	3	165	<0.40	V3	Pass	Pass	Pass	Pass	

Packaging Info

Size	SF per carton	PC per carton
35"X35"	17.24	2
24"X48"	22.93	3
48"X48"	30.68	2
40"X80"	21.53	1
48"X98"	32.18	1