



Roca

Pavers

Pavers

These 20 mm thick porcelain tiles surpass the high performance, functionality and aesthetics of natural materials used in flooring, which enables their use in exterior environments and high transit areas.



Aspen-Lucca Beige 24"x24" R

Full Body Porcelain Stoneware

◇ 24"x24" R



Piamonte Gris 24"x24" R



Piamonte Gris 24"x24" R



Toscana Arena 24"x24" R

Pavers

Full Body Porcelain Stoneware

20 mm |  | 24"x24" R
60x60 cm




Aspen Beige



24"x24" R
F55014248R1



Montone Gris



24"x24" R
FR9E060021



Piamonte Gris



24"x24" R
FR4E060021



Cortona Gris




24"x24" R
FRBE060021



Toscana Arena



24"x24" R
FR5E060371



Cortona Antracita



24"x24" R
FRBE060311

Pavers

Full Body Porcelain Stonewear

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	≤0.1
Break Strength	C648	Min. 2200
Scratch Hardness	MOH's Scale	5
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	-
Deep Abrasion - Unglazed Tiles	C1243	Pass
PEI Glazed Tiles	C1027	4
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	≥0.5
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warping	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton
24"x24"	7.75	2