

HARDWOOD

EMPIRE OAK PLANK

Engineered



5014 Roosevelt
shawfloors.com



BUILDER + MULTIFAMILY

For reference purposes only if printed or downloaded.

	US Units	Metric Units
Style Number	SW583	
Construction	Engineered	
Species	White Oak	
Nominal Overall Thickness	1/2"	12 mm
Nominal Width	5"	127 mm
Finish	UV Aluminum Oxide	
Gloss Level	7%	
Surface Texture	Wirebrushed	
Edge Description	Micro Bevel	
End Description	Micro Bevel	
Profile	Tongue And Groove	
Weight per Carton	46.6 lbs	21.13 kg
SQFT per Carton	29.53 sq ft	2.74 sq m
SQFT per Pallet	1417.44 sq ft	131.68 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	50 Years	
All measurements are nominal.	Cartons may include random lengths.	

Features

With classic charm and natural elegance, Empire Oak adds rich character to your home. Part of the Gallery Collection of premium hardwood, Empire Oak is hand selected by design experts to bring the natural artistry of hardwood into your home. The clean look and understated finishes let the beauty of the wood shine through for a timeless look that ages gracefully.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



SRH12
Flush Reducer



SORH2
*Overlap Reducer



SSH12
Flush Stairnose



SOSH2
*Overlap Stairnose



SCH12
Threshold / Carpet Reducer



TMH78
T-Molding



QTR96
Quarter Round

Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.

EMPIRE OAK PLANK

HARDWOOD

Colors



1007 Astor



1015 Vanderbilt



1028 Carnegie



2012 Hearst



5014 Roosevelt



5052 Ashlee Grey