

pad plank



shawfloors.com






	US Units	Metric Units
Style Number	0736V	
Construction	Multilayer SPC with Acoustic Backing	
Profile	Click	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.189"	4.8 mm
Wear Layer Thickness	12 mil (0.012")	0.3 mm
Attached Underlayment	EVA Pad	
Attached Underlayment Thickness	0.059"	1.5 mm
Finish	ArmourBead®	
Edge Description	Micro-Bevel	
Area per Carton	18.68 sq ft	1.74 sq m
Area per Pallet	1494.4 sq ft	138.83 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Ortho-Phthalates Free	Yes	
Residential Warranty	30 Years	
Commercial Warranty	7 Year Light Commercial	
Smoke Density (ASTM E662, Flaming	Passes, <450	
Mode)		
Radiant Panel (ASTM E648)	Passes, Class I	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

#### **Features**

Top-selling style Endura Plus is perfect for those wanting a durable luxury vinyl floor with unrivaled value. Rich hues, combined with beveled edges and realistic embossing embody the tried-and-true character of real hardwood. Endura is 100% waterproof for a beautiful, high-performing floor and features Soft Silence® acoustical pad for noise reduction and added comfort.


#### **Colors**



shawfloors.com














### **Coordinating Trim**



\*Packaged with molding track

### **Coordinating Metal Trim**



### **Installation Range**

<b>Profile Size</b>	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

### TREADZ®



Center	LVCTR
Right	LVCAR
Left	LVCAL
White Riser	LVWRI*

\*packages of 3



