

FREMONT HICKORY

Engineered





FREMONT HICKORY



	US Units	Metric Units
Style Number	SW592	
Construction	Engineered	
Species	Hickory	
Nominal Overall Thickness	3/8"	8.2 mm
Nominal Width	5"	127 mm
Finish	ScufResist Platinum	
Gloss Level	20%	
Surface Texture	Scraped	
Edge Description	Pillowed	
End Description	Pillowed	
Profile	Tongue And Groove	
Weight per Carton	37 lbs	16.78 kg
SQFT per Carton	23.66 sq ft	2.19 sq m
SQFT per Pallet	1419.6 sq ft	131.88 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Cradle-to-Cradle Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Lifetime	
Commercial Warranty	5 Year Commercial	
All measurements are nominal.	Cartons may include random lengths.	

Features

Beautifully scraped texture accentuates and highlights the natural grain, knots, and rustic character of this hickory hardwood floor.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Urebond Plus	SWADH

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are non-stocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.





FREMONT HICKORY



Colors





