

LANDMARK MAPLE

Engineered





BUILDER + MULTIFAMILY

LANDMARK MAPLE



	US Units	Metric Units
Style Number	SW598	
Construction	Engineered	
Species	Maple	
Nominal Overall Thickness	1/2"	11.93 mm
Nominal Width	9.25"	234.95 mm
Finish	Repel - Water Resist	
Gloss Level	20%	
Surface Texture	Distressed	
Edge Description	Scraped	
End Description	Scraped	
Profile	Tongue And Groove	
Weight per Carton	57 lbs	25.85 kg
SQFT per Carton	25.97 sq ft	2.41 sq m
SQFT per Pallet	934.92 sq ft	86.85 sq m
Installation Methods	Nail, Staple, Glue, Floating	
Installation Grade	Above, On, Below	
Variation	High	
GREENGUARD® Certified	Yes	
Radiant Heat Approved	Yes	
Residential Warranty	Splash-Proof Lifetime	
Commercial Warranty	5 Year Commercial	
Regional Availability	Not Available in Canada	
All measurements are nominal.	Cartons may include random lengths.	

Features

With a smooth and imperfect surface texture, Landmark Maple is a masterful composition full of depth and color that transcends timeless beauty. Shaw Floors' exclusive antiquing process emulates the unique complexity of an authentic timeworn surface. Our multi-colored staining process captures the visual tapestry with movement and dimension. This style is part of the REPEL Collection with Splash-Proof Technology that guards against splashes and spills 2x better than untreated hardwood. It also features superior dent resistance and ScufResist® Platinum finish to guard against scuffs.

Suggested Adhesive

Style Name	Style Number
35MC	HS105
Trim Diagon	

Trim Pieces length: 78" (*Overlap Reducer and Overlap Stairnose are designed for floating installations only. These items are nonstocking - but are available through a quick-ship program. Delivery should take approximately 2 to 3 weeks.)



Trim images are for illustration purposes only. Actual dimensions will vary. Contact the Shaw Information Center for additional details: 800-441-7429.





BUILDER + MULTIFAMILY

LANDMARK MAPLE



Colors



1012 Independence Hall

5023 Mount Rushmore

shawfloors.com

